IEEE Xplore®
RELEASE 2.3

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "(coalescing <and>set of pixels)<and>memory and adjacent"   ✉ e-mail 🖨 printer friendly
Your search matched **2** of **1532162** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(coalescing <and>set of pixels)<and>memory and adjacent	Search »

☐ Check to search only within this results set

Display Format: ◉ Citation   ○ Citation & Abstract

[View selected items]   **Select All Deselect All**

☐ 1. **IEEE standard computer dictionary. A compilation of IEEE standard computer glossaries**
18 Jan. 1991

AbstractPlus | Full Text: PDF(14764 KB)   IEEE STD

☐ 2. **Color vision for RoboCup with fast lookup tables**
McNaughton, M.; Hong Zhang;
Robotics, Intelligent Systems and Signal Processing, 2003. Proceedings. 2003 IEEE
International Conference on
Volume 1, 8-13 Oct. 2003 Page(s):399 - 404 vol.1
Digital Object Identifier 10.1109/RISSP.2003.1285607

AbstractPlus | Full Text: PDF(491 KB)   IEEE CNF
Rights and Permissions

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
Inspec+

YAHOO! SEARCH

Web | Images | Video | Local | Shopping | more

method for reducing image data and determining a first set of pi   Search

Answers

Search Results   1 - 10 of about 16 for method for reducing image data and determining a first set of pixels of an image in a memory

1. **Web Site for Perfectly Random Sampling with Markov Chains:**
   ... or continuous space) depend upon **one another in a** monotone or anti ... an independent
   set of coins for each value of time and each value of the **second** ...
   dbwilson.com/exact - 285k - Cached - More from this site

2. **Web Site for Perfectly Random Sampling with Markov Chains:**
   ... or continuous space) depend upon **one another in a** monotone or anti ... an independent
   set of coins for each value of time and each value of the **second** ...
   dimacs.rutgers.edu/~dbwilson/exact - 285k - Cached - More from this site

3. **Web Site for Perfectly Random Sampling with Markov Chains:**
   ... or continuous space) depend upon **one another in a** monotone or anti ... an independent
   set of coins for each value of time and each value of the **second** ...
   dimacs.rutgers.edu/~dbwilson/exact.html - 285k - Cached - More from this site

4. **Web Site for Perfectly Random Sampling with Markov Chains:**
   ... or continuous space) depend upon **one another in a** monotone or anti ... an independent
   set of coins for each value of time and each value of the **second** ...
   research.microsoft.com/~dbwilson/exact - 285k - Cached - More from this site

5. **Web Site for Perfectly Random Sampling with Markov Chains:**
   ... or continuous space) depend upon **one another in a** monotone or anti ... an independent
   set of coins for each value of time and each value of the **second** ...
   research.microsoft.com/~dbwilson/exact - 285k - Cached - More from this site

6. **worrydream.com/MagicInk/draft_2/draft.txt**
   I'm asking for software to display a complex **set of data in a** way that I can ... Its **pixels are**
   magic ink — capable of absorbing their context and reflecting a ...
   worrydream.com/MagicInk/draft_2/draft.txt - 185k - Cached - More from this site

7. **Magic Ink: Information Software and the Graphical Interface**
   I'm asking for software to display a complex **set of data in a** way that I can ... is on a single
   page, it can be compared by eye, with no need **for memory**. ...
   worrydream.com/MagicInk - 255k - Cached - More from this site

8. **Magic Ink: Information Software and the Graphical Interface**
   I'm asking for software to display a complex **set of data in a** way that I can ... is on a single
   page, it can be compared by eye, with no need **for memory**. ...
   worrydream.com/MagicInk/draft_2/draft.html - 250k - Cached - More from this site

9. **the 44894 to 24983 of 20910 and 17502 a 17292 i 16669 in 14716 is ...**
   ... 1112 now 1100 **first** 1083 people 1055 want 1053 **set** 1023 work 1012 who ... must 592
   paper 586 **data** 583 **being** 582 those 582 next 579 text 579 try 575 look ...
   www.cs.luc.edu/~rig/home/bin/engstat/mail.wf - 160k - Cached - More from this site

10. **jsr166/src/test/loops/ids.txt - view - 1.1**
    ... HEAD. **data** files for ... Addresses Addressing Adds **Adjacent** Adjust AdjustForGravity ...
    Among Amy An And Angles Ann Annex Anno Annotation **Another** ...
    gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/loops/... - 288k - Cached - More from this
    site

1   2   Next

method for reducing image data and determining a first set of pi   Search

Find anything on the Web, from anywhere on the Web!
Get your free Yahoo! Toolbar.

YAHOO! SEARCH

Web | Images | Video | Local | Shopping | more

method for reducing image data and determining a first set of pi | Search

Answers

Search Results   11 - 16 of about 16 for method for reducing image data and determining a first set of pixels of an image in a memor

11. **jsr166/src/test/loops/ids.txt - view - 1.1**
... HEAD. **data** files for ... Addresses Addressing Adds **Adjacent** Adjust AdjustForGravity ...
Among Amy An And Angles Ann Annex Anno Annotation **Another** ...
gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/loops/... - 288k - Cached - More from this
site

12. **9. no title available** - Translate this page
... Addressing Adds **Adjacent** Adjust AdjustForGravity Adjustable Adjustables ...
IllegalThreadStateException **Image** ImageBlaster ImageCapabilities **Image**Filter ...
gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/*checkout*/jsr166/...?rev=1.1 - 285k - Cached - More
from this site

13. **Surface following interaction method for adaptively sampled distance ...**
In another method, the models are constructed using **one of** several ... scanned **data** consist
of a set of overlapping 2D scanned range **images** taken from ...
www.freepatentsonline.com/6670962.html?highlight=5666475 - More from this site

14. **Method for correcting an adaptively sampled distance field - Patent 6933939**
In another method, the models are constructed using **one of** several ... scanned **data** consist
of a set of overlapping 2D scanned range **images** taken from ...
www.freepatentsonline.com/6933939.html - More from this site

15. **Transparent invisible conductive grid - Patent 7153620**
In one preferred embodiment, the element has an L* of greater than 80 and a b* of from 0 to -
6.0. ... They may be "smooth" as to not interfere with the ...
www.freepatentsonline.com/7153620.html?highlight=6887556 - More from this site

16. **lead | www.agents6.info**
... square in shape, as in philanthropist's are the ourselfes unscrewing **one** mascot **with**
another. ... Maybe there is **a method to** their madness and they truly ...
www.agents6.info/lead.htm - More from this site

Prev   1   2

method for reducing image data and determining a first set of pi | Search

Search the Web from Yahoo! Toolbar. **Get yours now!** It's free.